


## Roulement conique

### H715334-H715310-TIMKEN - H715334-H715310-TIMKEN

<https://www.123roulement.be/roulement-palier/roulement-rouleaux/conique/h715334-h715310-timken>

**TAPERED ROLLER BEARINGS**  
SINGLE-ROW • TYPE TS

**TYPE TS**



| Bearing Dimensions |         |         | Load Ratings                         |                        |                        |                                       |                                       |                       | Part Number |         |
|--------------------|---------|---------|--------------------------------------|------------------------|------------------------|---------------------------------------|---------------------------------------|-----------------------|-------------|---------|
| Bore d             | O.D. D  | Width T | Dynamic <sup>1)</sup> C <sub>1</sub> | Factor <sup>2)</sup> e | Factor <sup>3)</sup> Y | Dynamic <sup>1)</sup> C <sub>02</sub> | Factor <sup>2)</sup> C <sub>02e</sub> | Static C <sub>0</sub> | Inner       | Outer   |
| mm                 | mm      | mm      | N                                    |                        |                        | N                                     | N                                     | N                     |             |         |
| 61.912             | 139.700 | 46.038  | 219000                               | 3.47                   | 1.27                   | 62700                                 | 67900                                 | 1.24                  | H715334     | H715310 |
| 2.4375             | 5.5000  | 1.8125  | 71700                                |                        |                        | 18600                                 | 15100                                 |                       |             |         |

| Bearing Dimensions |         |                         |  |                                      |  |                                      |                                      |                              |                              | Geometry Factors |                |                | Bearing Weight |                |
|--------------------|---------|-------------------------|--|--------------------------------------|--|--------------------------------------|--------------------------------------|------------------------------|------------------------------|------------------|----------------|----------------|----------------|----------------|
| Shaft              |         |                         |  |                                      | Housing                                    |                                      |                                      |                              |                              | Cage             | G <sub>1</sub> | G <sub>2</sub> |                | C <sub>3</sub> |
| Width B            | Width C | ER. Dr. α <sup>1)</sup> | Min. Shaft Fillet Radius R <sup>2)</sup> | Backing Shoulder Dia. d <sub>s</sub> | Max. Housing Fillet Radius r <sup>3)</sup> | Backing Shoulder Dia. D <sub>s</sub> | Backing Shoulder Dia. D <sub>1</sub> | A <sub>1</sub> <sup>4)</sup> | A <sub>2</sub> <sup>5)</sup> |                  |                |                | mm             |                |
| 46.038             | 36.512  | -8.6                    | 3.5                                      | 81.8                                 | 87.8                                       | 3.3                                  | 133.8                                | 120.8                        | 4.1                          | 2.8              | 147.1          | 35.5           | 0.0983         | 3.85           |
| 1.8125             | 1.4375  | -0.34                   | 0.14                                     | 3.19                                 | 3.43                                       | 0.13                                 | 5.24                                 | 4.72                         | 0.16                         | 0.09             |                |                |                | 8.55           |

## CARACTÉRISTIQUES PRODUIT

|                 |               |
|-----------------|---------------|
| Marque          | TIMKEN        |
| N° Ean13        | 3663952318875 |
| Diam. intérieur | 61.912 mm     |
| Diam. intérieur | 2 7/16" inch  |
| Diam. extérieur | 139.7 mm      |
| Diam. extérieur | 5 1/2" inch   |
| Epaisseur       | 46.038 mm     |
| Epaisseur       | 1 13/16" inch |
| Conditionnement | 1             |

[contact@123roulement.be](mailto:contact@123roulement.be)

02 808 18 02

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE