

Roulement conique 456-453-B-TIMKEN - 456-453-B-TIMKEN

<https://www.123roulement.be/roulement-palier/roulement-rouleaux/conique/456-453-b-timken>

TAPERED ROLLER BEARINGS
TYPE TSF

| Bearing Dimensions | | | | | | | | | | Load Ratings | | | | | Part Number | |
|--------------------|-----------|------------|--|-----------------------------|--|-----------------------------|--------------------------|-------|--------|--------------|--|--|--|--|-------------|-------|
| Bore d | O.D. D | Width B | Dynamic ⁽¹⁾ C ₁ | Factors ⁽¹⁾ e | Dynamic ⁽²⁾ C ₂ | Factors ⁽²⁾ K | Static C ₃ | Inner | Outer | | | | | | | |
| mm | mm | mm | N | | N | | N | | | | | | | | | |
| 53.975 | 107.950 | 11.115 | 101800 | 0.24 | 1.70 | 41700 | 2200 | 1.74 | 100000 | 408 | | | | | | 453-B |
| 2.1250 | 4.2500 | 0.4375 | 36100 | | 5070 | | 5300 | | 37200 | | | | | | | |

| Bearing Dimensions | | | | | | | | | | Shaft | | | Housing | | | Geometry Factors | | | Bearing Weight |
|--------------------|------------|-----------------------------|--|-----------------------------------|--|--|--|--|----------------|----------------|----------------|--|---------|--|--|------------------|--|------|----------------|
| Width B | Width C | Eff. Dia. d ₁ | Outer Ring Ridge O.D. D ₁ | Flange Width C ₁ | Max Shaft File Radius R ₁ | Sealing Shoulder Dia. d ₂ | Sealing Shoulder Dia. d ₃ | Sealing Shoulder Dia. D ₁ | G ₁ | G ₂ | C ₁ | | | | | | | kg | |
| mm | mm | mm | mm | mm | mm | mm | mm | mm | | | | | | | | | | lbs. | |
| 29.317 | 22.225 | -7.1 | 113.306 | 5.508 | 3.5 | 91.0 | 60.0 | 100.0 | 58.0 | 17.1 | 0.0946 | | | | | | | 1.36 | |
| 1.1542 | 0.8750 | -0.28 | 4.4642 | 0.2168 | 0.14 | 3.54 | 2.36 | 3.94 | | | | | | | | | | 2.83 | |

CARACTÉRISTIQUES PRODUIT

| | |
|-----------------|---------------|
| Marque | TIMKEN |
| N° Ean13 | 3663952337814 |
| Diam. intérieur | 53.975 mm |
| Diam. extérieur | 107.95 mm |
| Épaisseur | 29.317 mm |
| Conditionnement | 1 |

contact@123roulement.be

02 808 18 02

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE